

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: POLISHING CREME #1
PRODUCT CODE: 3052

HMIS CODES: H F R P
1 0 0 C

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: Custom Building Products, Inc.
ADDRESS: 6511 SALT LAKE AVE., BELL, CA. 90201
EMERGENCY PHONE: (323) 582-0846 INFORMATION PHONE: (323) 582-0846
DATE REVISED : 7-11-97 NAME OF PREPARER : STEVE TAYLOR

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

HAZARDOUS COMPONENTS	CAS NUMBER	OSHA PEL	ACGIH TLV	OCCUPATIONAL EXPOSURE	VAPOR	Wt. %
				LIMIT	PRESSURE	
				mm Hg @	TEMP	
ETHANEDIOATE SALT	1113-38-8					
STANNIC OXIDE	18282-10-5					

PROPRIETARY FORMULA. CHEMICAL IDENTITIES WITHHELD ACCORDING TO OSHA REGULATIONS.

** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. ***

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING POINT: 212F SPECIFIC GRAVITY (H2O=1): 1.2
VAPOR DENSITY: N/A EVAPORATION RATE (vs. H2O): N/A
SOLUBILITY IN WATER: SOLUBLE. pH: 5.5
APPEARANCE AND ODOR: WHITE SUSPENSION, CITRUS ORDOR.

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT: NONE METHOD USED: N/A
FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: N/A UPPER: N/A

EXTINGUISHING MEDIA: WATER SPRAY, FOAM, CO2, DRY CHEMICAL.

SPECIAL FIREFIGHTING PROCEDURES
WEAR SELF CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

UNUSUAL FIRE AND EXPLOSION HAZARDS

MAY EMIT TOXIC FUMES UNDER FIRE CONDITIONS.

===== SECTION V - REACTIVITY DATA =====

STABILITY:

STABLE IN CLOSED CONTAINERS STORED AT ROOM TEMPERATURE.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS

NONE KNOWN.

HAZARDOUS POLYMERIZATION: NONE

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

INHALATION NOT A LIKELY ROUTE OF EXPOSURE TO THIS PRODUCT.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

SKIN: CAN CAUSE DRYING AND INFLAMMATION.

EYES: CAUSES IRRITATION.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NO DATA AVAILABLE.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

MAY CAUSE VOMITING LEADING TO ASPIRATION INTO LUNGS. POISON IF INGESTED,
IT AFFECTS CENTRAL NERVOUS SYSTEM AND KIDNEY FUNCTION.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

SIGN AND SYMPTOMS OF OVER EXPOSURE:

KIDNEY DAMAGE.

ACUTE: IRRITATION OF THE SKIN, EYES, AND MUCOUS MEMBRANES.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

NONE REPORTED.

EMERGENCY AND FIRST AID PROCEDURES

EYES: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER. GET IMMEDIATE
MEDICAL ATTENTION.

SKIN: WASH OFF WITH WATER AND SOAP. IF IRRITATION PERSISTS, GET MEDICAL
ATTENTION.

INGESTION: IF SWALLOWED, CALL A PHYSICIAN IMMEDIATELY. DO NOT INDUCE VOMITTING.
GET IMMEDIATE MEDICAL ATTENTION.

INHALATION: REMOVE VICTIM TO FRESH AIR.

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED
PROTECT CLEANUP PERSONNEL AGAINST CONTACT. SCOOP UP MATERIAL INTO SUITABLE
CONTAINERS FOR DISPOSAL. SWEEP OR VACUUM UP SMALL SPILLS.

WASTE DISPOSAL METHOD
DISPOSE OF PRODUCT IN ACCORDANCE WITH LOCAL, STATE OR FEDERAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING
STORE IN COOL, DRY VENTILATED AREA IN CLOSED CONTAINERS AWAY FROM SOURCES
OF INCOMPATIBLE CHEMICALS. KEEP AWAY FROM SOURCES OF WATER.OF CHILDREN.

OTHER PRECAUTIONS
NONE

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION
NONE

VENTILATION
USE IN WELL VENTILATED AREAS.

PROTECTIVE GLOVES
IMPERVIOUS CHEMICAL RESISTANT GLOVES.

EYE PROTECTION
SAFETY GLASSES WITH SPLASH GUARDS.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT
NONE.

WORK/HYGIENIC PRACTICES
GOOD HOUSEKEEPING PRINCIPLES SHOULD BE PRACTICED AT ALL TIMES.

===== SECTION IX - DISCLAIMER =====

DISCLAIMER
THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT
WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE
ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT AND
SUITABLE TO THEIR CIRCUMSTANCES.

